

UNDER MODE OF DESPATCH

BHARATHIAR UNIVERSITY: COIMBATORE - 641 046

No. BU/R-D8/DBT.M.Sc--biotech-fur/18505/2021-22

Date :20.01.2022

TENDER NOTICE

Sealed Tenders are invited by the Registrar, Bharathiar University, Coimbatore 641 046 upto 3.00 P.M on 11.02.2022 (Separate Technical bid and Commercial bid) from the specialized reputed firms for the Purchase of Laboratory furniture and Office furniture for M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore.

S. No	Description	Tender Cost`	E.M.D. `	Eligibility of firm
1	Purchase of Laboratory furniture and Office furniture for M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore. (As per schedule with image of photocopy enclosed)	788/-	12,450/-	Manufacturers and Suppliers
LAST DATE FOR SUBMISSION OF TENDERS :11.02.2022 upto 3.00 P.M.				
TECHNICAL BIDS OPENING DATE :11.02.2022 at 4.00 P.M.				

Note:

- 1 The tender is governed by the Tamilnadu Tender transparency Act 1998 and 2000 as amended from time to time.
- 2 The tender cover should be super scribed as “Tender for the Purchase of Laboratory furniture and Office furniture for M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore.
- 3 The Tender Fee & EMD of the quoted value against each to be enclosed in the form of DD drawn in favour of the Registrar, Bharathiar University, payable at Coimbatore and shall be submitted in separate cover.
- 4 For Tender Terms, Conditions and Detailed Specifications – log on to our website <http://www.b-u.ac.in> and can be downloaded.

REGISTRAR i/c
BHARATHIAR UNIVERISTY

BHARATHIAR UNIVERSITY COIMBATORE: 641 046
TENDER CONDITIONS AND INSTRUCTIONS FOR THE SUPPLY OF

Purchase of Laboratory furniture and Office furniture for M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore.

- 1 Sealed Tenders will be received by the Registrar, Bharathiar University, upto 3.00 p.m. on 11.02.2022 for the Purchase of Laboratory furniture and Office furniture for M.Sc., Medical Biotechnology Programme in the department of Biotechnology of this University as specified in the schedule (Appendix).
- 2 Tender should be addressed to the Registrar, Bharathiar University and should be only in sealed covers by Registered post/ or in person. Tenders received in ordinary covers without seal will not be considered.
- 3 The tender cover should be super scribed as “Tender for the Purchase of Laboratory furniture and Office furniture for M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore. The covers received without such superscription will be rejected summarily.
- 4 Technical Bids only will be opened on 11.02.2022 at 4.00 p.m in the presence of the tenderers. The price bids will be opened after technical evaluation . Date of opening of Price Bids will be intimated later.
- 5 Each tender shall be accompanied with the requisite EMD Rs.12,450/- and Tender cost of Rs.1,575/- noted below against each in the form of DD drawn in one of the Nationalised Banks in the name of “Registrar, Bharathiar University” payable at Coimbatore. Cheques and Bank Guarantees will not be accepted. Tenders without EMD shall be summarily rejected. EMD will not carry any interest.

S. No.	Name of the Equipment	Tender Cost	E.M.D. `
1	Purchase of Laboratory furniture and Office furniture for M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore	Rs. 788/-	Rs. 12,450/-

- 6 Tenders received late will be returned to the tenderer unopened.
- 7 The rates will be kept firm for 180 days (one hundred and eighty) from the date of the opening of the Tenders in acceptance.
- 8 The rate should be quoted with specification and model if applicable and should be indicated clearly both in words and figures. Any scoring or overwriting should be atested by the tenderers with full signature. The rate quoted should be firm and should not be subjected to any variation clauses.
- 9 University shall not pay increase in duties, taxes and surcharges on account of any revision by the Government at the time of supply and installation.
- 10 Supply shall be as per the specifications mentioned in the Appendix and according at the time of supply .
- 11 The tenderer should quote as per the tender specifications and image of the Furniture only. Option shall be given separately.

- 12 The tender form (Annexure I & II) should be completed in all respects. Wherever the information is not relevant to your bid, the space should be appropriately filled with 'NA or NIL'. No space shall be left blank. All pages of the tender documents should be enclosed otherwise the tenderers are likely to be rejected.
- 13 If the given space is insufficient to give required information, additional sheets may be added. Each such additional page shall be numbered consecutively and shall bear our tender reference number and signature of bidder or his/her authorized agent.
- 14 Faxed Bids are liable to be rejected.
- 15 Tenders, only the Technical Bids will be opened on 11.02.2022 at 4.00 p.m. by the Registrar or his nominee in the presence of Tenderers or their representatives who may be present at the time of opening. The representatives of the tendering firms who are attending during opening of the technical and price bids should bring a letter of authorization from the tendering firms, which they represent to identify their bonafied.
- 16 The tender shall be valid for a period of 180 days from the date opening. Tenderer should not withdraw his tender after the tenders are opened. In case the tender is withdrawn after it is opened, the EMD paid by him will be forfeited.
- 17 The EMD of the unsuccessful tenders will be refunded immediately after the tenders are disposed of by the competent authority.
- 18 Successful tenderer shall execute an agreement for the fulfillment of contract in the stamp paper in the model form. The conditions stipulated in the form should be strictly adhered to and violation of any of the conditions will entail termination of the contract without prejudice to be right of the University and to recover any consequential loss from the successful tenderer.
- 19 Successful tenderer shall remit a Security deposit of the order value (excluding EMD already remitted). Security Deposit will be refunded at the end of warranty period subject to the satisfaction of the University. The EMD may be adjusted towards Security deposit payable.
- 20 If the tenderer failed to act upto the tender or backs out when his tender accepted, security deposit will also be forfeited to department.
- 21 The material should be supplied strictly in accordance with the specifications given in the Appendix and should fulfill the successful tests carried out by the Competent Authority of the University. The supply and installation should be made as per the delivery schedule to be sent by the Registrar along with the exact location of the work. The guarantee period shall take effect from the date of trial run. Successful tenderer shall be liable to change any defective part during the warranty period. In either case the damaged or defective items will have to be taken back at supplier's cost and risk.
- 22 The commissioning and installation should be getting completed within the stipulated period mentioned in the supply order. If the supply is not made within the period, the supply order will be cancelled and the EMD & Security deposit will be forfeited.

- 23 The materials are to be guaranteed for the warranty period mentioned as per the given specifications from the date of installation and commissioning against manufacturing defect and bad workmanship. The period of warranty and the Annual Maintenance Contract (AMC) are as per the given specifications and the specified period shall commence from the date of installation.
- 24 The materials quoted shall confirm to ISI standard. The make of the materials shall be mentioned in the tender.
- 25 Any dispute arising out of this contract shall be settled only at the court having jurisdiction of Coimbatore.
- 26 The authority competent to accept the tender reserves the right to reject or accept any tender without assigning any reasons thereof.
- 27 Regarding the acceptance of supply with reference to the specification and quality of materials supplied, the decision of Registrar shall be final.
- 28 If the price in INR with GST taxes, should mention the valid local Sales Tax Registration/VAT Registration/CST Registration Numbers along with the copy of the registration Certificate.
- 29 The University is registered with DSIR and eligible for exemption towards customs duty as per the Government Notification No.43/2017-Customs dated 30.06.2017, Notification No.47/2017-Integrated Tax (Rate) dated 14.11.2017, 10/2018-Integrated Tax (Rate) dated 25.01.2018 and 45/2017-Central Tax (Rate) dated 14.11.2017. Hence the item price may be quoted separately (i.e.) Unit. Price & Taxes etc. only. Governemnt Notification No: 51/ 96 Customs Dt.23.7.1996.and Central excise duty as per Government Notification No.10/97 Central Excise Dt: 1.3.1997. The University will be given necessary exemption certificates.
- 30 Loss or Damage: External damages or shortages that are prima facie the results of rough handling in transit or due to defective packing will be intimated within a fortnight from the date of receipt of the material, Internal defects, damages of any internal parts that cannot ordinary be exhibited on superficial inspection though due to bad handling in transit or defective packing will be intimated within two months from the date of receipt of the stores. In either case the damaged or defective stores will have to be taken back at supplier's cost and risk.
- 31 Guarantee: The Supplier shall undertake to repair free of charge or replace any defective part of the equipment supplied due to defective or faulty design or bad workmanship during a period of three years from the date of commissioning of the equipment.
- 32 Penalty Clause: The delivery should be guaranteed by you under the penalty clause mentioned hereunder:
- 33 "Should delivery be delayed by strike, lockouts, fire accidents or any cause whatsoever, beyond the reasonable control of the contractor and whether such delay or impediment occurs before or after the time or extended time for dispatch or completion, a reasonable extension time shall be granted.

- 34 If the contractor fails in due performance of this contract, within the time fixed by the contractor the extension thereof, the contractor is liable at discretion of the purchaser to a penalty of 4% per month of the contract value of such portion only of materials as cannot, in consequence of the delay, be used during each month between the appointed or extended time as the case may be and the actual time of acceptance, and such penalty shall be in full satisfaction of the contractor's liability for the delay but shall no in any case exceed 25 % of the contract value of such portion of the materials."
- 35 Additional Documents: Please also attach with the quote the following documents:
- ISO Certificate
 - Number of service centres of the supplier in Tamilnadu/India.
 - Number of years standing in the business.
 - Average turnover in the last two years.
 - Backup facility for the warranty period.
 - TIN and CST Number, whenever required.
 - Certificates attained by the manufacturer.
 - Company Profile.
 - Any other relevant details in support of the items specified
- 36 Incomplete Tenders: Tenders without the complete particulars will not be considered.
- 37 Tenders will be considered only from the ISO certified Manufacturers / authorized distributors with sound technical and financial capabilities.
- 38 The University's general rules for the supply of the materials and works will apply on this purchase also.
- 39 Foreign firms having their own office in India can quote in respective country currency.
- 40 No communications from any tenderer adding to/adhering or explaining any terms of the tender will be considered prior to the submission or after opening of the tenders by the competent authority
- 41 In case of any modifications in specifications/terms and conditions/ any clarifications to the bid document it will be hosted in our website only and bidders are requested to log on to our website from time to time regularly for any amendment and no separate corrigendum will be issued in this regard.

SIGNATURE OF THE TENDERER WITH SEAL
Mobile No.

BHARATHIAR UNIVERSITY: COIMBATORE 641 046

**Schedule For Purchase of Laboratory furniture and Office furniture for M.Sc.,
Medical Biotechnology Programme in the department of Biotechnology at
Bharathiar University, Coimbatore.**

Sl. No.	Specification	Qty. Req
1	Class room Staff Table : Specifications Size: W1200 X D750 X H750mm. Table Top: 25mm thick Pre Laminated particle board with 2mm edge lipping on all exposed sides. Support: Supported on 25mm thick Pre- Laminated Partical Board Gable ends and 18mm Thick Pre-Laminated Partical Board Modesty Panel with suitable spacers and Levellers	7 Nos
2	Mobile Pedestal : Specifications: Top and Sides: 18mm thick pre laminated particle board Back: 9mm thick pre laminated particle board Edge: All exposed area with 2mm thick PVC edge lipping Handle: Recessed handle in anodised finish Lock: Regular lock Size: W400 X D450 X H600mm Color: White	3 Nos
3	Height Adjustable Chair : Specifications: Base: • The 630mm dia (25 inches) five pronged base should be made out of GF nylon – Reinforced with bottom ribbing for additional buttress and strength. • Tested prudently and rigorously as per ANSI/BIFMA X5.1-2011 General Purpose Office Chair Standards Castors: Castors - Twin Castors 50mm dia wheel made of castors compiling to ANSI / BIFMA X 5.1 – 2002 Gaslift: Gaslift - Class 4 tested -ANSI BIFMA performance standards Seating Structure: Seat should be made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Imported T-nuts and revited in to the wood Upholstery: Cushion with pre moulded foam of 50 - 60 density in the shape of plywood. Density -- 52 kg/m ³ Hardness -- 12.6kgf at 25% Mechanism: • This mechanism should be manufactured out of cold Rolled Carbon Steel IS 513-1994 Sheets. • The steel components should be manufactured with highly precision tools for accuracy in matching other parts for smooth functioning. • The steel components should be fabricated by using Co2 welding process for giving uniform surface finish with higher tensile strength. • Springs should be made out of Grade II material. • Composite release levers for locking mechanism & Gas lift height adjustment.	7 Nos

Sl. No.	Specification	Qty. Req
	<ul style="list-style-type: none"> • Release lever mechanism for Locking and Gas lift height adjustment. <p>Back: Moulded Polypropylene back with netted fabric upholstered</p> <p>Armrest:</p> <ul style="list-style-type: none"> • Moulded Polypropylene Arms confirming to IS 7078 with steel inserts for long life. • Fixed arms (without adjustment). <p>Fabric: Seat and Back should be duly upholstered with approved fabric.</p>	
4	<p>Visitors Chair : Specifications:</p> <p>Frame: The frame should be made out of 22mm tube of 16gauge tube Welded by Co2 welding process for uniform surface.</p> <p>Powder coating: Thermo set powder coating epoxy polyester hybrids of harness (pencil) H.B.74 and impact resistant (in lab) 60-160 kgs cm and to a thickness of 40-50 microns should be carried out of 7 step pretreatment process.</p> <p>Fasteners: High quality metal screws and tension fasteners conforming to Hardness 38-44 and tensile strength</p> <p>Seat Plywood:</p> <ul style="list-style-type: none"> • Seat should be made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Japanese Nagayamma T-Nuts, and riveted to the wood. • Specially selected veneers of even thickness and moisture controlled, 10-12% should be trimmed to the required specification. <ul style="list-style-type: none"> • Trimmed veneers should be glued with melamine fortified UF resin by passing the veneers, through glue spreaders with controlled and even resin spread. • The pack should be pressed under high pressure and heat in metallic molds in hydraulic presses. • The veneers and resin used should be termite resistant and also under high temperature and pressure any insect eggs/larvae will get destroyed. • The formed mold should be cooled under controlled conditions after which the same is marked and trimmed as per the specified contour in profiling machine to tolerance +-2mm. • The product should be randomly selected and tested by dropping 7kgs. • Weight from a height of 18” for cycles to withstand the lamination and breakage. <p>Back Shell: The Back Shell should be made out of Talc filled 10% poly propylene co polymer molded with ergonomic see through design.</p> <p>Fastners:</p> <ul style="list-style-type: none"> • High quality metal screws and tension fasteners conforming to Hardness 38-44 and tensile strength • For maintenance free usage with international styling molded self skin, Polyurethane arms should be used. • With metal inserts for durability, comfort and Long life. • PU Arms should have a density of 350 to 450 gm/ltr, which offer besides Smooth finish aberration and scratch resistance and easy maintenance. 	12 Nos

Sl. No.	Specification	Qty. Req
5	<p>Storage Cabinet : Specifications: Material: All cold rolled steel with normal door lock SIZE: L 380 X D 450 X H 1830 mm Locker: 4 nos Inner Size/Per Lock: L 380 X D 430 X H 445mm Color : Grey</p>	23 Nos
6	<p>Student chair with Flip Half Writing Pad : Specifications</p> <p>FRAME:- 1. The frame should be made out of 22mm tube of 16gauge tube Welded by Co2 welding process for uniform surface.</p> <p>POWDER COATING:- 2. Thermo set powder coating epoxy polyester hybrids of harness (pencil) H.B.74 and impact resistant (in lab) 60-160 kgs cm and to a thickness of 40-50 microns carried out of 7 step pretreatment process.</p> <p>SEAT PLYWOOD:- 3. Seat made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Japanese Nagayamma T-Nuts, and riveted to the wood. 4. Specially selected veneers of even thickness and moisture controlled, 10-12% trimmed to the required specification. 5. Trimmed veneers glued with melamine fortified UF resin by passing the veneers, through glue spreaders with controlled and even resin spread. 6. The pack is pressed under high pressure and heat in metallic molds in hydraulic presses.</p> <p>7. The veneers and resin used should be termite resistant and also under high temperature and pressure any insect eggs/larvae should get destroyed. 8. The formed mold cooled under controlled conditions after which the same is marked and trimmed as per the specified contour in profiling machine to tolerance +-2mm. 9. The product (seat and back) are randomly selected and tested by dropping 7kgs. 10. Weight from a height of 18" for cycles to withstand the lamination and breakage.</p> <p>SEAT CUSHION:- 11. Seat cushion made out of 32 density polyurethane foam and it cuts the shape of plywood. 12. Upholstery done by using high-pressure pneumatic spray glue and pneumatic press. 13. The back rest with height adjustment.</p> <p>BACK SHELL: 14. The Back Shell made out of Talc filled 10% poly propylene co polymer molded with ergonomic see through design.</p> <p>FASTNERS:- 15. High quality metal screws and tension fasteners conforming to Hardness 38-44 and tensile strength.</p>	10 Nos

Sl. No.	Specification	Qty. Req
	<p>16. For maintenance free usage with international styling molded self skin, Polyurethane arms should be used.</p> <p>17. With metal inserts for durability, comfort and Long life.</p> <p>18. PU Arms with density of 350 to 450 gm/ltr, which offer besides Smooth finish aberration and scratch resistance and easy maintenance.</p> <p>Writing desk :</p> <p>19. Made out of 12mm thick Rubber wood veneers & polished with melamine finish</p> <p>20. Fabric technical specifications:- Composition 100% Polyester , Weight 370 Grams Per Linear Mt \pm 5% ,270 Grams Per Sq. Mtr Is : 1964 : 2001 Width 137 Cm/54" \pm 2% ,Thickness 0.50 Mm Astm D : 1777 : 96 Breaking Load Warp 199 Kgf Weft : 138 Iso : 13934 : 1 Tear Strength Warp >6400gf Weft > 6400 Gf Iso : 13937 : 200 Bursting Strength 32.8kg/Cm² Bs : 4768 : 72 Abrasion Resistance Above 50000 Cycles Astm D 4966 : 98 Pilling Resistance 5 Iso : 12945 : 1 Colour Fastness To Light 4 To 5 Is : 2454 : 1985 Colour Fastness To Washing 4 To 5 Is : 764 : 1979 Colour Fastness To Rubbing Dry 4-5 Wet 4-5 On Washing At 40 Deg. Is : 766 : 1988</p>	
	Composition	100% polyester
	Weight	370 Grams Per Linear Mt \pm 5% Is : 1964 : 2001
	Width	137 Cm/54" \pm 2%
	Thickness	0.50 Mm Astm D : 1777 : 96
	Breaking Load	Warp 199 Kgf Weft : 138 Iso : 13934 : 1
	Tear Strength	Warp >6400gf Weft > 6400 Gf Iso : 13937 : 200
	Bursting Strength	32.8kg/Cm ² Bs : 4768 : 72
	Abrasion Resistance	Above 50000 Cycles Astm D 4966 : 98
	Pilling Resistance	5 Iso : 12945 : 1
	Colour Fastness To Light	4 To 5 Is : 2454 : 1985
	Colour Fastness To Washing	4 To 5 Is : 764 : 1979
	Colour Fastness To Rubbing	Dry 4-5 Wet 4-5 Is : 766 : 1988

Sl. No.	Specification	Qty. Req
7	<p>Smart Computer Table : Specifications Size: 1500L X 600D X 750HT Table Top: 25mm thick pre laminated particle board with 2mm edge banding. Leg/ Under structure: 50x50mm powder coated MS square leg with 40x20mm MS cross beams. Wire Management: 65mm dia wire manager hole and 125mm height metal race way below for wire management with standard cutouts (ROMA) 8 module + data socket. Color : White /Maple</p>	1 No
8	<p>Height Adjustable chair with lumbar support : Base: The 640mm dia (26 inches) five pronged base should be made out of GF nylon – Reinforced with bottom ribbing for additional buttress and strength. Should be tested prudently and rigorously as per ANSI/BIFMA X5.1-2011 General Purpose Office Chair Standards Castors: Castors - Twin Castors 50mm dia castors complying to ANSI / BIFMA X 5.1 – 2002</p> <p>Gaslift: Gaslift - Class 4 tested -ANSI BIFMA performance standards Seating Structure: Seat and back should be made out of 12mm molded hot pressed plywood in ergonomic shape fitted with Imported T-nuts and revited in to the wood Upholstery: Cushion with pre moulded foam of 50 - 60 density in the shape of plywood. Density -- 52 kg/m3 Hardness -- 12.6kgf at 25%</p> <p>Mechanism: This mechanism should be manufactured out of cold Rolled Carbon Steel IS 513-1994 Sheets. The steel components should be manufactured with highly precision tools For accuracy in matching other parts for smooth functioning. The steel components should be fabricated by using Co2 welding process for giving uniform surface finish with higher tensile strength. Springs should be made out of Grade II material. Composite release levers for locking mechanism & Gas lift height adjustment. Release lever mechanism for Locking and Gas lift height adjustment. Headrest: Adjustable Headrest</p> <p>Back: Back Frame should be upholstered with Thinner Mesh Adjustable Lumbar Support Should allow to adjust the lumbar support position for good back support and blood circulation Armrest: Moulded self skinned polyurethane Arms confirming to IS 7078 with steel insets for long life. one way adjustable Height Adjustable. Tension Control: Tension control should be below the Seat Fabric: Seat should be duly upholstered with approved fabric</p>	8 Nos

Sl. No.	Specification	Qty. Req
9	Triplet steel Chair : Armrest/leg: Metal Paint, Sprayed with static powder after antirust treatment Seat: 1.8mm thickness metal with round hole. Sprayed with static powder after antirust treatment Beam: 1.8mm thickness. Sprayed with static powder after antirust treatment.	2 Nos
10	Storage Unit : Size : 900L X 450D X 1800HT Specifications: Top: 18mm Thk pre laminated particle board Back: 9mm Thk pre laminated particle board with 2mm PVC edge lipping Shutters: 18mm Thk pre laminated particle board Edge: All exposed area with 2mm thick PVC edge lipping Handle: Finger groove handle Lock: Regular lock.	4 Nos
EXACT SAMPLES SHOULD BE DISPLAYED FOR ALL THE TENDERED PRODUCTS DURING THE TECHNICAL BID MEETING		
Certifications of the product,		
The participating firms should have following certifications, * Should be the exclusive dealer for the quoted branded product * Standard warranty and on field service support for atleast 5 years * ISO 14001: 2015 - Environmental Management System * BS OHSAS 18001: 2007 - Occupational Health and Safety Assessment Series * ISO 9001: 2015 – Quality Management Systems * ISO 45001 : 2018 – Occupational Health and Safety * Indian Green Building Council - Gold Standard * BIFMA Certified – Platinum(Business Institutional Furniture Manufacturing Association) * AIOTA Certificate(All India Occupational Therapists Association) * Green Guard Certificate * Company should have more than 5 years of experience in office furniture manufacturing * Company should have past record for supplying the products to the government offices such as; Bharathiyar University, Income Tax Department, Provident Fund Office, Indian Institute of Technology, Life Insurance Corporation Limited etc.		

SIGNATURE OF THE TENDERER

Sl. No.	Specification	Qty. Req
----------------	----------------------	-----------------

NOTE:


- 1 Please quote the price with make of the items, without make the tender will not be considered.
- 2 The University is eligible for exemption of Central Excise Duty as per Government Notification No: 10/97 Central Excise Dt. 1.3.97. Hence, the item price may be quoted separately (i.e.) unit price & taxes etc; only. The University will be given necessary exemption form for Central Excise. It is also eligible for Customs Duty exemption as per the Government Notification No: 51/96 Customs Dt. 23.06.1996.
- 3 The firm may be quoted the rate as per the tender specification, the rate quoted by the firm will be considered if it is only as per the tender specifications. If there is any deviation of specification from the tender specification, the tender will not be considered.
- 4 The Original tender form should be submitted to this office along with the tender schedule.

Sl. No.	Specification	Qty. Req
---------	---------------	----------

1. Class room staff table



2. Mobile Pedestal



3. Height Adjustable chair



4. Visitors chair



5. Storage Cabinet




6. Students chair with Flip half writing pad



Sl. No.	Specification	Qty. Req
---------	---------------	----------

7. Smart Computer Table



8. Height adjustable chair with lumbar support



9. Triplet steel chair



10. Storage Unit



BHARATHIAR UNIVERSITY :: COIMBATORE - 641 046

Tender No.

Date :

To

The Registrar

Bharathiar University,

Coimbatore - 641 046.

I/We agree to furnish required supplies / services as detailed in the Tender schedule or such portions thereof as you may specify in the Acceptance of Tender in accordance with the General Terms and Conditions governing the contract/ supply order enclosed hereto duly accepted on receipt of the order for the same.

I/We agree to hold this offer open until _____ and shall be bound to supply/omission/erect the equipment and despatch the same within the specified period.

I/We agree to supply and commission/erect the equipment and complete the whole of the work and hand over to the purchaser within the period of weeks. From the date of receipt of intimation from you regarding acceptance of this tender / receipt of supply order.

Signature of the bidder
with office stamp
Name & Address

Station :

Date :

BHARATHIAR UNIVERSITY: COIMBATORE 641 046

Schedule For Purchase of Laboratory furniture and Office furniture for M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore.

TECHNICAL BID

Sl. No.	Particulars	Mention "Yes" or :No"
1	Whether "Technical" & "Price" bids submitted separately and the respective envelopes superscribed properly.	
2	Whether demand draft of _____/- (Rupees _____ only) in favour of NIFT _____ is enclosed as EMD with the tender submitted.	
3	Whether certificate/ document in support of having 2 to 5 years experience in supply of similar items along with a list of organizations (Govt., PSU, reputed MNC's/ organizations) where the contractor is currently providing/provided this kind of items.	
4	Whether Trade License for this kind of jobs enclosed.	
5	Whether copy of pan card enclosed.	
6	Whether copy of othe statutory registration certificates like VAT/Service Tax etc., enclosed [As applicable]	
7	Date of Establishment of organization/company/agency	
8	Whether agreed to abide by all the terms & conditions of this tender	

All above enclosures must be valid (wherever applicable)

NOTE:

- 1 Please quote the price with make of the items, without make the tender will not be considered.
- 2 The University is eligible for exemption of Central Excise Duty as per Government Notification No: 10/97 Central Excise Dt. 1.3.97. Hence, the item price may be quoted separately (i.e.) unit price & taxes etc; only. The University will be given necessary exemption form for Central Excise. It is also eligible for Customs Duty exemption as per the Government Notification No: 51/96 Customs Dt. 23.06.1996.
- 3 The firm may be quoted the rate as per the tender specification, the rate quoted by the firm will be considered if it is only as per the tender specifications. If there is any deviation of specification from the tender specification, the tender will not be considered.
- 4 The Original tender form should be submitted to this office along with the tender

Date:

Place:

(Name & Signature of the tenderer
with seal)

6. PERFORMA OF FINANCIAL BID

Furniture Items. Purchase of Laboratory furniture and Office furniture for M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore.

Sl. No.	Description	Qty	Price		
			Unit Price in Rs.	Taxes as applicable such as GST	Total price in Rs.
1	Class room staff table	7 Nos			
2	Mobile Pedestal	3 Nos			
3	Height Adjustable Chair	7 Nos			
4	Visitors chair	12 Nos			
5	Storage cabinet	23 Nos			
6	Student chair with flip half writing pad	10 Nos			
7	Smart Computer table	1 No			
8	Height Adjustable chair with lumbar support	8 Nos			
9	Triplet steel chair	2 Nos			
10	Storage unit	4 Nos			
Total Rs.					

(Total Rupees in words)

Price *:- Total price should be inclusive of all taxes.

Items quoted must be as per the specifications given in enclosed Annexures

Note : Annexures should be the 3D Photographs and the technical specifications of the items for which quotations are being called for.

Signature of the Supplier .

Date :