

UNDER MODE OF DESPATCH

BHARATHIAR UNIVERSITY: COIMBATORE - 641 046

No. BU/R-D8/Med.Biotech-fur/19134/2021-22

Date :04.01.2022

**TENDER NOTICE**

Sealed Tenders are invited by the Registrar, Bharathiar University, Coimbatore 641 046 upto 3.00 P.M on 20.01.2022 (Separate Technical bid and Commercial bid) from the specialized reputed firms for the Purchase of Laboratory furniture for DBT-M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore.

S. No	Description	Tender Cost	E.M.D.	Eligibility of firm
1	Purchase of Laboratory furniture for DBT-M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore. <b>(As per schedule with image of photocopy enclosed)</b>	1575/-	17,900/-	Manufacturers and Suppliers
LAST DATE FOR SUBMISSION OF TENDERS :20.01.2022 upto 3.00 P.M.				
TECHNICAL BIDS OPENING DATE :20.01.2022 at 4.00 P.M.				

**Note:**

- 1 The tender is governed by the Tamilnadu Tender transparency Act 1998 and 2000 as amended from time to time.
- 2 The tender cover should be super scribed as “Tender for the Purchase of Laboratory furniture for DBT-M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore.
- 3 The Tender Fee & EMD of the quoted value against each to be enclosed in the form of DD drawn in favour of the Registrar, Bharathiar University, payable at Coimbatore and shall be submitted in separate cover.
- 4 For Tender Terms, Conditions and Detailed Specifications – log on to our website <http://www.b-u.ac.in> and can be downloaded.

REGISTRAR i/c  
BHARATHIAR UNIVERISTY

**BHARATHIAR UNIVERSITY COIMBATORE: 641 046**  
**TENDER CONDITIONS AND INSTRUCTIONS FOR THE SUPPLY OF**

**Purchase of Laboratory furniture for DBT-M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore.**

- 1 Sealed Tenders will be received by the Registrar, Bharathiar University, upto 3.00 p.m. on 20.01.2022 for the Purchase of Laboratory furniture for DBT-M.Sc., Medical Biotechnology Programme in the department of Biotechnology of this University as specified in the schedule (Appendix).
- 2 Tender should be addressed to the Registrar, Bharathiar University and should be only in sealed covers by Registered post/ or in person. Tenders received in ordinary covers without seal will not be considered.
- 3 The tender cover should be super scribed as “Tender for the Purchase of Laboratory furniture for DBT-M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore. The covers received without such superscription will be rejected summarily.
- 4 Technical Bids only will be opened on 20.01.2022 at 4.00 p.m in the presence of the tenderers. The price bids will be opened after technical evaluation . Date of opening of Price Bids will be intimated later.
- 5 Each tender shall be accompanied with the requisite EMD Rs.17,900/- and Tender cost of Rs.1,575/- noted below against each in the form of DD drawn in one of the Nationalised Banks in the name of “Registrar, Bharathiar University” payable at Coimbatore. Cheques and Bank Guarantees will not be accepted. Tenders without EMD shall be summarily rejected. EMD will not carry any interest.

S. No.	Name of the Equipment	Tender Cost	E.M.D. `
1	Purchase of Laboratory furniture for DBT-M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore	Rs. 1,575/-	Rs. 17,900/-

- 6 Tenders received late will be returned to the tenderer unopened.
- 7 The rates will be kept firm for 180 days (one hundred and eighty) from the date of the opening of the Tenders in acceptance.
- 8 The rate should be quoted with specification and model if applicable and should be indicated clearly both in words and figures. Any scoring or overwriting should be ated by the tenderers with full signature. The rate quoted should be firm and should not be subjected to any variation clauses.
- 9 University shall not pay increase in duties, taxes and surcharges on account of any revision by the Government at the time of supply and installation.
- 10 Supply shall be as per the specifications mentioned in the Appendix and according at the time of supply .
- 11 The tenderer should quote as per the tender specifications and image of the Furniture only. Option shall be given separately.

- 12 The tender form (Annexure I & II) should be completed in all respects. Wherever the information is not relevant to your bid, the space should be appropriately filled with 'NA or NIL'. No space shall be left blank. All pages of the tender documents should be enclosed otherwise the tenderers are likely to be rejected.
- 13 If the given space is insufficient to give required information, additional sheets may be added. Each such additional page shall be numbered consecutively and shall bear our tender reference number and signature of bidder or his/her authorized agent.
- 14 Faxed Bids are liable to be rejected.
- 15 Tenders, only the Technical Bids will be opened on 20.01.2022 at 4.00 p.m. by the Registrar or his nominee in the presence of Tenderers or their representatives who may be present at the time of opening. The representatives of the tendering firms who are attending during opening of the technical and price bids should bring a letter of authorization from the tendering firms, which they represent to identify their bonafied.
- 16 The tender shall be valid for a period of 180 days from the date opening. Tenderer should not withdraw his tender after the tenders are opened. In case the tender is withdrawn after it is opened, the EMD paid by him will be forfeited.
- 17 The EMD of the unsuccessful tenders will be refunded immediately after the tenders are disposed of by the competent authority.
- 18 Successful tenderer shall execute an agreement for the fulfillment of contract in the stamp paper in the model form. The conditions stipulated in the form should be strictly adhered to and violation of any of the conditions will entail termination of the contract without prejudice to be right of the University and to recover any consequential loss from the successful tenderer.
- 19 Successful tenderer shall remit a Security deposit of the order value (excluding EMD already remitted). Security Deposit will be refunded at the end of warranty period subject to the satisfaction of the University. The EMD may be adjusted towards Security deposit payable.
- 20 If the tenderer failed to act upto the tender or backs out when his tender accepted, security deposit will also be forfeited to department.
- 21 The material should be supplied strictly in accordance with the specifications given in the Appendix and should fulfill the successful tests carried out by the Competent Authority of the University. The supply and installation should be made as per the delivery schedule to be sent by the Registrar along with the exact location of the work. The guarantee period shall take effect from the date of trial run. Successful tenderer shall be liable to change any defective part during the warranty period. In either case the damaged or defective items will have to be taken back at supplier's cost and risk.
- 22 The commissioning and installation should be getting completed within the stipulated period mentioned in the supply order. If the supply is not made within the period, the supply order will be cancelled and the EMD & Security deposit will be forfeited.

- 23 The materials are to be guaranteed for the warranty period mentioned as per the given specifications from the date of installation and commissioning against manufacturing defect and bad workmanship. The period of warranty and the Annual Maintenance Contract (AMC) are as per the given specifications and the specified period shall commence from the date of installation.
- 24 The materials quoted shall confirm to ISI standard. The make of the materials shall be mentioned in the tender.
- 25 Any dispute arising out of this contract shall be settled only at the court having jurisdiction of Coimbatore.
- 26 The authority competent to accept the tender reserves the right to reject or accept any tender without assigning any reasons thereof.
- 27 Regarding the acceptance of supply with reference to the specification and quality of materials supplied, the decision of Registrar shall be final.
- 28 If the price in INR with GST taxes, should mention the valid local Sales Tax Registration/VAT Registration/CST Registration Numbers along with the copy of the registration Certificate.
- 29 The University is registered with DSIR and eligible for exemption towards customs duty as per the Government Notification No.43/2017-Customs dated 30.06.2017, Notification No.47/2017-Integrated Tax (Rate) dated 14.11.2017, 10/2018-Integrated Tax (Rate) dated 25.01.2018 and 45/2017-Central Tax (Rate) dated 14.11.2017. Hence the item price may be quoted separately (i.e.) Unit. Price & Taxes etc. only. Government Notification No: 51/ 96 Customs Dt.23.7.1996.and Central excise duty as per Government Notification No.10/97 Central Excise Dt: 1.3.1997. The University will be given necessary exemption certificates.
- 30 Loss or Damage: External damages or shortages that are prima facie the results of rough handling in transit or due to defective packing will be intimated within a fortnight from the date of receipt of the material, Internal defects, damages of any internal parts that cannot ordinarily be exhibited on superficial inspection though due to bad handling in transit or defective packing will be intimated within two months from the date of receipt of the stores. In either case the damaged or defective stores will have to be taken back at supplier's cost and risk.
- 31 Guarantee: The Supplier shall undertake to repair free of charge or replace any defective part of the equipment supplied due to defective or faulty design or bad workmanship during a period of three years from the date of commissioning of the equipment.
- 32 Penalty Clause: The delivery should be guaranteed by you under the penalty clause mentioned hereunder:
- 33 "Should delivery be delayed by strike, lockouts, fire accidents or any cause whatsoever, beyond the reasonable control of the contractor and whether such delay or impediment occurs before or after the time or extended time for dispatch or completion, a reasonable extension time shall be granted.

- 34 If the contractor fails in due performance of this contract, within the time fixed by the contractor the extension thereof, the contractor is liable at discretion of the purchaser to a penalty of 4% per month of the contract value of such portion only of materials as cannot, in consequence of the delay, be used during each month between the appointed or extended time as the case may be and the actual time of acceptance, and such penalty shall be in full satisfaction of the contractor's liability for the delay but shall no in any case exceed 25 % of the contract value of such portion of the materials.”
- 35 Additional Documents: Please also attach with the quote the following documents:
- ISO Certificate
  - Number of service centres of the supplier in Tamilnadu/India.
  - Number of years standing in the business.
  - Average turnover in the last two years.
  - Backup facility for the warranty period.
  - TIN and CST Number, whenever required.
  - Certificates attained by the manufacturer.
  - Company Profile.
  - Any other relevant details in support of the items specified
- 36 Incomplete Tenders: Tenders without the complete particulars will not be considered.
- 37 Tenders will be considered only from the ISO certified Manufacturers / authorized distributors with sound technical and financial capabilities.
- 38 The University's general rules for the supply of the materials and works will apply on this purchase also.
- 39 Foreign firms having their own office in India can quote in respective country currency.
- 40 No communications from any tenderer adding to/adhering or explaining any terms of the tender will be considered prior to the submission or after opening of the tenders by the competent authority
- 41 In case of any modifications in specifications/terms and conditions/ any clarifications to the bid document it will be hosted in our website only and bidders are requested to log on to our website from time to time regularly for any amendment and no separate corrigendum will be issued in this regard.

**SIGNATURE OF THE TENDERER WITH SEAL**  
**Mobile No.**

**BHARATHIAR UNIVERSITY: COIMBATORE 641 046**

**Schedule For Purchase of Laboratory furniture for DBT-M.Sc., Medical  
Biotechnology Programme in the department of Biotechnology at Bharathiar  
University, Coimbatore.**

Sl. No.	Specification	Qty.Req
1	<p>Specification for Wall table with movable Cupboard.</p> <ul style="list-style-type: none"><li>•Dimensions : 1650Lx750Wx900H mm.</li><li>• <b>Material of construction</b> : 20 gauge electro galvanized sheet with polyester powder coating.</li></ul> <p><b>Under bench movable modular cupboard</b> : Made up of high-quality Electro Galvanized steel sheet-thickness of 20SWG with Bisphenol resin treatment and corrosion resistant epoxy polymer powder coating (70-90 micron thickness texture finish color. Provided with self and soft closing and adjustable door hinges (hinges ISO certified) with a hinge with 270 degree opening with latch and chamfering corner. Noiseless telescopic smooth heavy duty drawer rails (load capacity 65Kg.) (ISO certified); drawers with full opening. Under bench storage cabinet modules having one drawer, one two shutters cupboard with double walled construction and one adjustable shelf. drawers and cupboards are fitted with proper locking arrangements. Fitted with proper locking arrangements. Fitted with rotatable and self-locking castor wheels for easy movement. Alternative modular.</p> <p><b>C' Frame Construction</b> : The table and worktop supported by heavy duty "C" frame construction, fabricated with 60x40x1.20mm thick Electro Galvanized steel sheet - thickness of 20 SWG with Bisphenol resin treatment and corrosion resistant epoxy polymer powder coating (70-90 micron thickness texture finish co tube. The frame (C frame) of rectangular box with a wall thickness of 18 gauge, de-greased and epoxy powder coated for smooth finish and protection. The frame to be provided with M10 adjustable level mounting boot (Acid resistance PP material Black color).</p> <p><b>Specification of cabinets:</b></p> <p><b>Cabinet Carcass:</b> The cabinet will be fully welded single unit of 20 gauge GI construction. The GI sheets (TATA/JSW/Equivalent) will have 120 gsm of Zinc coating and powder coating thickness will be minimum 80-100 microns. The cabinets must be completely welded for better strength &amp; load bearing capacity. The loading partitions will be 20 gauge GI construction, welded to the carcass &amp; will have necessary stiffeners.</p> <p><b>Shutters &amp; Drawers fronts</b> : The shutters &amp; drawer will be made out of 20gauge Electro galvanized sheet with epoxy polyester powder coating. The GI sheets (TATA.JSW) will have 120 gsm of Zinc coating and powder coating thickness will be Minimum 80-100 microns. The shutters will have half round radius profile in order to avoid sharp edges.</p>	11 Nos

Sl. No.	Specification	Qty. Req
	<p><b>Specification of Hardware fitting :</b></p> <p><b>A) Drawer slides :</b> Drawer suspension channel shall consist of 2 section providing a quiet, smooth operation on ball bearing slides. The slides shall be of 1mm thick galvanized iron sheet - de greased and should undergo 7 tank process powder coating of minimum 75 microns, type (Hettich/Hafele/ Godrej (or) Equivalent ) Telescopic drawer slide with 35kg weight capacity, to allow smooth and sliding operation.</p> <p><b>B) Hinges :</b> The hinges will be nickedcoated, selfclosing type with opening angle up to 90 degree, (Hettich/Hafele/Equivalent) fitted to the shutter with stainless steel screws / nuts &amp; bolts special coating for hinges; The hinges will be of CED finish (Cathode Electrode deposition) for enhanced chemical resistance.</p> <p><b>C) Roller catch :</b> A two - piece chemically inert nylon roller catch will be provided on all base cupboard doors and will be positioned near the pivoting edge of door to provide a clean unobstructed opening. Main body of the catch will be confined within an integral cabinet dividerrail, while latching post will be mounted on the hinge side of door.</p> <p><b>D) Locks :</b> Square type multipurpose locks with 2 sets of keys, will be provided (Godrej/Equivalent).</p> <p><b>E) Shelf Adjustment clips :</b> Shelf adjustment clips will be nickel-plated steel.</p> <p><b>F) Door :</b> Handle will be of modern design, recessed type offering a comfortable handgrip, and be securely, fastened to doors and drawers with screws. All pulls will be satin finish Aluminium, with a clear, lacquer finish. Two pulls will be required on all drawers over 24" long. use of plastic pulls (molded or extruded), or a design not compatible for usage will not be acceptable. The handles length will be at least 96mm. (Hettich/Hafele/Equivalent).</p> <p><b>Work top :</b> (18mm+/- 1mm thick balck granite with little to very little grains on the surface'. Granite slabs shall have uniformity of colour, tone and textures. The entire supply for granite stone slab shall e procedure from one location (in one quarry),l and supplied preferably, in one lot to keep variations to the minimum. it should be pre polished (mirror polished), all sharp edges half roundmoulded. All edges moulding shall be equal in all areas. It shall be free of any surface defect or any edge damage.</p> <p><b>Colour :</b> Should be customizable.</p>	

Sl. No.	Specification	Qty. Req
2	<p><b>Specification for Wall table with movable Cupboard.</b></p> <ul style="list-style-type: none"> <li>• <b>Dimensions : 1630Lx450Wx900H mm.</b></li> <li>• <b>Material of construction :</b> 20 gauge electro galvanized sheet with polyester powder coating.</li> </ul> <p><b>Under bench movable modular cupboard :</b> Made up of high-quality Electro Galvanized steel sheet-thickness of 20SWG with Bisphenol resin treatment and corrosion resistant epoxy polymer powder coating (70-90 micron thickness texture finish color. Provided with self and soft closing and adjustable door hinges (hinges ISO certified) with a hinge with 270 degree opening with latch and chamfering corner. Noiseless telescopic smooth heavy duty drawer rails (load capacity 65Kg.) (ISO certified); drawers with full opening. Under bench storage cabinet modules having one drawer, one two shutters cupboard with double walled construction and one adjustable shelf. drawers and cupboards are fitted with proper locking arrangements. Fitted with proper locking arrangements. Fitted with rotatable and self-locking castor wheels for easy movement. Alternative modular.</p> <p><b>C' Frame Construction :</b> The table and worktop supported by heavy duty "C" frame construction, fabricated with 60x40x1.20mm thick Electro Galvanized steel sheet - thickness of 20 SWG with Bisphenol resin treatment and corrosion resistant epoxy polymer powder coating (70-90 micron thickness texture finish co tube. The frame (C frame) of rectangular box with a wall thickness of 18 gauge, de-greased and epoxy powder coated for smooth finish and protection. The frame to be provided with M10 adjustable level mounting boot (Acid resistance PP material Black color).</p> <p><b>Specification of cabinets</b></p> <p><b>Cabinet Carcass:</b> The cabinet will be fully welded single unit of 20 gauge GI construction. The GI sheets (TATA/JSW/Equivalent) will have 120 gsm of Zinc coating and powder coating thickness will be minimum 80-100 microns. The cabinets must be completely welded for better strength &amp; load bearing capacity. The loading partitions will be 20 gauge GI construction, welded to the carcass &amp; will have necessary stiffeners.</p> <p><b>Shutters &amp; Drawers fronts :</b> The shutters &amp; drawer will be made out of 20gauge Electro galvanized sheet with epoxy polyester powder coating. The GI sheets (TATA.JSW) will have 120 gsm of Zinc coating and powder coating thickness will be Minimum 80-100 microns. The shutters will have half round radius profile in order to avoid sharp edges.</p>	2 Nos



Sl. No.	Specification	Qty. Req
	<p><b>Specification of Hardware fitting :</b></p> <p><b>A) Drawer slides :</b> Drawer suspension channel shall consist of 2 section providing a quiet, smooth operation on ball bearing slides. The slides shall be of 1mm thick galvanized iron sheet - de greased and should undergo 7 tank process powder coating of minimum 75 microns, type (Hettich/Hafele/Godrej (or) Equivalent ) Telescopic drawer slide with 35kg weight capacity, to allow smooth and sliding operation.</p> <p><b>B) Hinges :</b> The hinges will be nickedcoated, selfclosing type with opening angle up to 90 degree, (Hettich/Hafele/Equivalent) fitted to the shutter with stainless steel screws / nuts &amp; bolts special coating for hinges; The hinges will be of CED finish (Cathode Electrode deposition) for enhanced chemical resistance.</p> <p><b>C) Roller catch :</b> A two - piece chemically inert nylon roller catch will be provided on all base cupboard doors and will be positioned near the pivoting edge of door to provide a clean unobstructed opening. Main body of the catch will be confined within an integral cabinet dividerrail, while latching post will be mounted on the hinge side of door.</p> <p><b>D) Locks :</b> Square type multipurpose locks with 2 sets of keys, will be provided (Godrej/Equivalent).</p> <p><b>E) Shelf Adjustment clips :</b> Shelf adjustment clips will be nickel-plated steel.</p> <p><b>F) Door :</b> Handle will be of modern design, recessed type offering a comfortable handgrip, and be securely, fastened to doors and drawers with screws. All pulls will be satin finish Aluminium, with a clear, lacquer finish. Two pulls will be required on all drawers over 24" long. use of plastic pulls (molded or extruded), or a design not compatible for usage will not be acceptable. The handles length will be at least 96mm. (Hettich/Hafele/Equivalent).</p> <p><b>Work top :</b> (18mm+/- 1mm thick balck granite with little to very little grains on the surface'. Granite slabs shall have uniformity of colour, tone and textures. The entire supply for granite stone slab shall e procedure from one location (in one quarry),l and supplied preferably, in one lot to keep variations to the minimum. it should be pre polished (mirror polished), all sharp edges half roundmoulded. All edges moulding shall be equal in all areas. It shall be free of any surface defect or any edge damage.</p> <p><b>Colour :</b> Should be customizable.</p>	
3	<p>Specification for Wall table with sink and movable Cupboard.</p> <ul style="list-style-type: none"> <li>•Dimensions : 1650Lx750Wx900H mm.</li> <li>• <b>Material of construction :</b> 20 gauge electro galvanized sheet with polyester powder coating.</li> </ul>	1 No

Sl. No.	Specification	Qty. Req
	<p><b>Under bench movable modular cupboard :</b> Made up of high-quality Electro Galvanized steel sheet-thickness of 20SWG with Bisphenol resin treatment and corrosion resistant epoxy polymer powder coating (70-90 micron thickness texture finish color. Provided with self and soft closing and adjustable door hinges (hinges ISO certified) with a hinge with 270 degree opening with latch and chamfering corner. Noiseless telescopic smooth heavy duty drawer rails (load capacity 65Kg.) (ISO certified); drawers with full opening. Under bench storage cabinet modules having one drawer, one two shutters cupboard with double walled construction and one adjustable shelf. drawers and cupboards are fitted with proper locking arrangements. Fitted with proper locking arrangements. Fitted with rotatable and self-locking castor wheels for easy movement. Alternative modular.</p> <p><b>C' Frame Construction :</b> The table and worktop supported by heavy duty "C" frame construction, fabricated with 60x40x1.20mm thick Electro Galvanized steel sheet - thickness of 20 SWG with Bisphenol resin treatment and corrosion resistant epoxy polymer powder coating (70-90 micron thickness texture finish co tube. The frame (C frame) of rectangular box with a wall thickness of 18 gauge, de-greased and epoxy powder coated for smooth finish and protection. The frame to be provided with M10 adjustable level mounting boot (Acid resistance PP material Black color).</p> <p><b>Sink &amp; Watertap:</b> 1 No's P.P. Sink (560x355)mm with 3-way tap will be provided.</p> <p><b>Specification of cabinets</b></p> <p><b>Cabinet Carcass:</b> The cabinet will be fully welded single unit of 20 gauge GI construction. The GI sheets (TATA/JSW/Equivalent) will have 120 gsm of Zinc coating and powder coating thickness will be minimum 80-100 microns. The cabinets must be completely welded for better strength &amp; load bearing capacity. The loading partitions will be 20 gauge GI construction, welded to the carcass &amp; will have necessary stiffeners.</p> <p><b>Shutters &amp; Drawers fronts :</b> The shutters &amp; drawer will be made out of 20gauge Electro galvanized sheet with epoxy polyester powder coating. The GI sheets (TATA.JSW) will have 120 gsm of Zinc coating and powder coating thickness will be Minimum 80-100 microns. The shutters will have half round radius profile in order to avoid sharp edges.</p> <p><b>Specification of Hardware fitting :</b></p> <p><b>A) Drawer slides :</b> Drawer suspension channel shall consist of 2 section providing a quiet, smooth operation on ball bearing slides. The slides shall be of 1mm thick galvanized iron sheet - de greased and should undergo 7 tank process powder coating of minimum 75 microns, type (Hettich/Hafele/ Godrej (or) Equivalent ) Telescopic drawer slide with 35kg weight capacity, to allow smooth and sliding operation.</p>	

Sl. No.	Specification	Qty. Req
	<p><b>B) Hinges :</b> The hinges will be nickedcoated, selfclosing type with opening angle up to 90 degree, (Hettich/Hafele/Equivalent) fitted to the shutter with stainless steel screws / nuts &amp; bolts special coating for hinges; The hinges will be of CED finish (Cathode Electrode deposition) for enhanced chemical resistance.</p> <p><b>C) Roller catch :</b> A two - piece chemically inert nylon roller catch will be provided on all base cupboard doors and will be positioned near the pivoting edge of door to provide a clean unobstructed opening. Main body of the catch will be confined within an integral cabinet dividerrail, while latching post will be mounted on the hinge side of door.</p> <p><b>D) Locks :</b> Square type multipurpose locks with 2 sets of keys, will be provided (Godrej/Equivalent).</p> <p><b>E) Shelf Adjustment clips :</b> Shelf adjustment clips will be nickel-plated steel.</p> <p><b>F) Door :</b> Handle will be of modern design, recessed type offering a comfortable handgrip, and be securely, fastened to doors and drawers with screws. All pulls will be satin finish Aluminium, with a clear, lacquer finish. Two pulls will be required on all drawers over 24" long. use of plastic pulls (molded or extruded), or a design not compatible for usage will not be acceptable. The handles length will be at least 96mm. (Hettich/Hafele/Equivalent).</p> <p><b>Work top :</b> (18mm+/- 1mm thick balck granite with little to very little grains on the surface'. Granite slabs shall have uniformity of colour, tone and textures. The entire supply for granite stone slab shall e procedure from one location (in one quarry),l and supplied preferably, in one lot to keep variations to the minimum. it should be pre polished (mirror polished), all sharp edges half roundmoulded. All edges moulding shall be equal in all areas. It shall be free of any surface defect or any edge damage.</p> <p><b>Colour :</b> Should be customizable.</p>	
4	<p>Specification for Wall Storage Cupboard.</p> <ul style="list-style-type: none"> <li>•Dimensions : 900Lx300Wx600H mm.</li> <li>• <b>Material of construction :</b> 20 gauge electro galvanized sheet with polyester powder coating.</li> </ul> <p><b>Specification of cabinets:</b></p> <p><b>Cabinet Carcass:</b> The cabinet will be fully welded single unit of 20 gauge GI construction. The GI sheets (TATA/JSW/Equivalent) will have 120 gsm of Zinc coating and powder coating thickness will be minimum 80-100 microns. The cabinets must be completely welded for better strength &amp; load bearing capacity. The loading partitions will be 20 gauge GI construction, welded to the carcass &amp; will have necessary stiffeners.</p>	78 Nos



Sl. No.	Specification	Qty. Req
	<p><b>Shutters</b> : The shutters will be made out of 20gauge Electro galvanized sheet with epoxy polyester powder coating. The GI sheets (TATA.JSW) will have 120 gsm of Zinc coating and powder coating thickness will be Minimum 80-100 microns. The shutters will have half round radius profile in order to avoid sharp edges.</p> <p><b>Specification of Hardware fitting :</b></p> <p><b>A) Hinges</b> : The hinges will be nickedcoated, selfclosing type with opening angle up to 90 degree, (Hettich/Hafele/Equivalent) fitted to the shutter with stainless steel screws / nuts &amp; bolts special coating for hinges; The hinges will be of CED finish (Cathode Electrode deposition) for enhanced chemical resistance.</p> <p><b>B) Roller catch</b> : A two - piece chemically inert nylon roller catch will be provided on all base cupboard doors and will be positioned near the pivoting edge of door to provide a clean unobstructed opening. Main body of the catch will be confined within an integral cabinet dividerrail, while latching post will be mounted on the hinge side of door.</p> <p><b>D) Locks</b> : Square type multipurpose locks with 2 sets of keys, will be provided (Godrej/Equivalent).</p> <p><b>E) Shelf Adjustment clips</b> : Shelf adjustment clips will be nickel-plated steel.</p> <p><b>F) Door</b> : Handle will be of modern design, recessed type offering a comfortable handgrip, and be securely, fastened to doors and drawers with screws. All pulls will be satin finish Aluminium, with a clear, lacquer finish. Two pulls will be required on all drawers over 24" long. use of plastic pulls (molded or extruded), or a design not compatible for usage will not be acceptable. The handles length will be at least 96mm. (Hettich/Hafele/Equivalent).</p> <p><b>Colour</b> : Should be customizable.</p>	

**SIGNATURE OF THE TENDERER**

Sl. No.	Specification	Qty. Req
---------	---------------	----------

**NOTE:**

- 1 Please quote the price with make of the items, without make the tender will not be considered.
- 2 The University is eligible for exemption of Central Excise Duty as per Government Notification No: 10/97 Central Excise Dt. 1.3.97. Hence, the item price may be quoted separately (i.e.) unit price & taxes etc; only. The University will be given necessary exemption form for Central Excise. It is also eligible for Customs Duty exemption as per the Government Notification No: 51/96 Customs Dt. 23.06.1996.
- 3 The firm may be quoted the rate as per the tender specification, the rate quoted by the firm will be considered if it is only as per the tender specifications. If there is any deviation of specification from the tender specification, the tender will not be considered.
- 4 The Original tender form should be submitted to this office along with the tender schedule.



<b>Sl. No.</b>	<b>Specification</b>	<b>Qty.Req</b>
--------------------	----------------------	----------------

**BHARATHIAR UNIVERSITY :: COIMBATORE - 641 046**

Tender No.

Date :

To

The Registrar

Bharathiar University,

Coimbatore - 641 046.

I/We agree to furnish required supplies / services as detailed in the Tender schedule or such portions thereof as you may specify in the Acceptance of Tender in accordance with the General Terms and Conditions governing the contract/ supply order enclosed hereto duly accepted on receipt of the order for the same.

I/We agree to hold this offer open until \_\_\_\_\_ and shall be bound to supply/omission/erect the equipment and despatch the same within the specified period.

I/We agree to supply and commission/erect the equipment and complete the whole of the work and hand over to the purchaser within the period of weeks. From the date of receipt of intimation from you regarding acceptance of this tender / receipt of supply order.

Signature of the bidder  
with office stamp  
Name & Address

Station :

Date :

**BHARATHIAR UNIVERSITY: COIMBATORE 641 046**

**Schedule For Purchase of Laboratory furniture for DBT-M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore.**

**TECHNICAL BID**

<b>Sl. No.</b>	<b>Particulars</b>	<b>Mention "Yes" or :No"</b>
1	Whether "Technical" & "Price" bids submitted separately and the respective envelopes superscribed properly.	
2	Whether demand draft of _____/- (Rupees _____ only) in favour of NIFT _____ is enclosed as EMD with the tender submitted.	
3	Whether certificate/ document in support of having 2 to 5 years experience in supply of similar items along with a list of organizations (Govt., PSU, reputed MNC's/ organizations) where the contractor is currently providing/provided this kind of items.	
4	Whether Trade License for this kind of jobs enclosed.	
5	Whether copy of pan card enclosed.	
6	Whether copy of othe statutory registration certificates like VAT/Service Tax etc., enclosed [As applicable]	
7	Date of Establishment of organization/company/agency	
8	Whether agreed to abide by all the terms & conditions of this tender	

All above enclosures must be valid (wherever applicable)

**NOTE:**

- 1 Please quote the price with make of the items, without make the tender will not be considered.
- 2 The University is eligible for exemption of Central Excise Duty as per Government Notification No: 10/97 Central Excise Dt. 1.3.97. Hence, the item price may be quoted separately (i.e.) unit price & taxes etc; only. The University will be given necessary exemption form for Central Excise. It is also eligible for Customs Duty exemption as per the Government Notification No: 51/96 Customs Dt. 23.06.1996.
- 3 The firm may be quoted the rate as per the tender specification, the rate quoted by the firm will be considered if it is only as per the tender specifications. If there is any deviation of specification from the tender specification, the tender will not be considered.
- 4 The Original tender form should be submitted to this office along with the tender schedule.

Date:

Place:

(Name & Signature of the tenderer  
with seal)



## 6. PERFORMA OF FINANCIAL BID

**Furniture Items. Purchase of Laboratory furniture for DBT-M.Sc., Medical Biotechnology Programme in the department of Biotechnology at Bharathiar University, Coimbatore.**

Sl. No.	Description	Qty	Price		
			Unit Price in Rs.	Taxes as applicable such as GST	Total price in Rs.
1	Wall table with movable cupboard of size 1650mmLx750mmWx900mmH	11 Nos			
2	Wall table with movable cupboard of size 1630mmLx450mmWx900mmH.	2 Nos			
3	Wall table with Sink and movable cupboard of size 1650mmLx750mmWx900mmH	1 No			
4	Wall storage cupboard of size 900mmLx300mmWx600mmH	78 nos			
<b>Total Rs.</b>					

( Total Rupees in words .....)

Price \*:- Total price should be inclusive of all taxes.

Items quoted must be as per the specifications given in enclosed Annexures

Note : Annexures should be the 3D Photographs and the technical specifications of the items for which quotations are being called for.

Signature of the Supplier .

Date :